



1 Harrier Court
 Airfield Business Park
 Elvington
 York YO41 4AU
 United Kingdom
 Tel: +44 (0) 1904 607600
 Fax: +44 (0) 1904 607601
 Web: www.vet-way.com

(Alben 250 mg also available in bolus)

ALBEN 2500 mg BOLUS

Type	Anthelmintic & Flukicide
Composition	Albendazole: 2500mg Excipient: q.s. 1 bolus
Intended for	Cattle
Uses	For the control of mature and developing immature forms of gastrointestinal roundworms, lungworms, tapeworms and adult liver fluke. The product is also active against fluke and roundworm eggs. Albendazole is active against the following species: Roundworms: Ostertagia, Haemonchus, Trichostrongylus, Nematodirus, Oesophagostomum, Bunostomum, Cooperia and Strongyloides spp. It is usually effective against inhibited larvae of Cooperia and Ostertagia. Lungworms: Distyocaulus viviparus. Tapeworms: Moniezia spp. Adult liver fluke: Fasciola hepatica at the higher dosage rate
Dosage & Administration	By oral route. Cattle: 750 mg to 1000 mg / 100 kg bodyweight. ¾ (2500 mg) bolus to 1 (2500 mg) bolus / 250 kg. Treatment is recommended for dairy cows during drying up period, colostrums period or calf feeding.
Warnings	For animal treatment only. Not to be used in animals known to be hypersensitive to the active ingredient. Intensive use or misuse of anthelmintics can give rise to resistance. To reduce this risk, dosing programs should be discussed with a veterinary surgeon. The use of albendazole in breeding bulls or pregnant cattle is not expected to interfere with their reproductive performance. It can also be safely used during lactation.
Withdrawal Period	Meat and offal: 20 days Milk: 72 hrs

