



1 Harrier Court  
 Airfield Business Park  
 Elvington  
 York YO41 4AU  
 United Kingdom  
 Tel: +44 (0) 1904 607600  
 Fax: +44 (0) 1904 607601  
 Web: www.vet-way.com



## DELTOX 5 % 250 ml

<b>Type</b>	Topical ectoparasiticide
<b>Composition</b>	Deltamethrin: 5g Excipient: q.s 100ml
<b>Intended For</b>	Cattle, sheep, goats and pigs
<b>Uses</b>	A topical application for the control of lice and flies on cattle and headfly induced lesions, ticks, lice, keds and established blowfly strike on sheep. Lice and ticks on lambs. Deltamethrin is a pyrethroid, a powerful insecticide, known for its low toxicity and low pollutant level. Deltamethrin is lipophilic. This allows an efficient migration in the superficial layer of the epiderm and protects from dilution by rain. Deltox provides a protection of 8 to 10 weeks.
<b>Dosage &amp; Administration</b>	External use, by dip or spray. Against lice and keds: 25 ml of solution for 100 litres of water Against ticks and flies: 50 ml of solution for 100 litres of water Against mange: 100 ml of solution for 100 litres of water, a second treatment should be given 10 days later. If a dip is given, the solution should be topped up as soon as the level of the dip loses 10%, with a preparation 1.5 times the initial dose.
<b>Warnings</b>	In conformity of the protection of users and environment. Do not drink, eat or smoke during the use of product. In case of contact with the eyes, rinse immediately and seek medical advice. Do not pour in rivers and ditches (harmful to fish). Used containers should be disposed of in accordance with the laws of the country of use.
<b>Storage</b>	Do not store in extreme temperatures (not above 25°C).
<b>Withdrawal period</b>	Meat and offal: Cattle: 17 days; Sheep: 7 days Not to be used on sheep producing milk for human consumption Milk: no withdrawal time

