



1 Harrier Court
 Airfield Business Park
 Elvington
 York YO41 4AU
 United Kingdom
 Tel: +44 (0) 1904 607600
 Fax: +44 (0) 1904 607601
 Web: www.vet-way.com

FLUKANTEL 50 INJECTABLE 100 ml

Type	Injectable anthelmintic + flukicide
Composition	Closantel 50 mg. Excipient: q.s 1ml
Intended For	Cattle and sheep
Uses	For the control of chronic and sub-acute fascioliasis due to <i>Fasciola hepatica</i> , in sheep and lambs. Active against sub-cutaneous larvae of <i>Hypoderma bovis</i> and <i>lineatum</i> . Active against nematodes of the gastro-intestinal tract of sheep and cattle, such as <i>Oesophagostomum radiatum</i> , <i>Haemonchus</i> and <i>Bunostomum phlebotomum</i> . Especially useful against Benzimidazole resistant strains of Nematodes.
Dosage & Administration	Subcutaneous route Sheep: 1 ml/10 kg bodyweight Cattle: up to 200 kg bodyweight, 10 ml/100kg. From 200 kg to 400kg: 20 ml For over 400 kg: 20 ml + 5 ml/each 100 kg bodyweight Dosage should be repeated after six to eight weeks with heavy parasite infections e.g Fluke infected pastures. Dairy cows should be treated at drying off Ewes should be treated before and after lambing
Warnings	It can be used at any time during pregnancy. Do not exceed the recommended dosage.
Withdrawal period	Meat and offal: 42 days. Should not be administered to lactating sheep or cows producing milk for human consumption.

