



1 Harrier Court
 Airfield Business Park
 Elvington
 York YO41 4AU
 United Kingdom
 Tel: +44 (0) 1904 607600
 Fax: +44 (0) 1904 607601
 Web: www.vet-way.com

GENTAVET 10 % INJECTABLE 100 ml

Type	Antibiotic
Composition	Gentamicin (sulphate) 10g Excipient: q.s.100 ml
Intended For	Cattle, sheep, goats, pigs, horses, poultry, cats and dogs
Uses	<p>Gentamicin is a broad spectrum antibiotic. It is particularly active against gram negative bacteria such as Escherichia Coli, Salmonella, Pasteurella, Shigella, Klebsiella, Pseudomonas, Bacillus and Haemophilus. It is also active against gram positive germs such as Staphylococcus (even penicillin resistant) and Mycoplasmas.</p> <p>Gentavet acts 30 to 60 minutes after the injection and the diffusion in the body is very effective. The concentration in the serum is maintained for 6 to 12 hours depending on the dosage. Gentamicin is excreted via the urine.</p> <p>Mainly used in septicaemic infections in young animals, Gentavet is indicated in the treatment of infections of the respiratory, uro-genital and gastro-intestinal tracts, the skin, bones and infections in soft tissue.</p>
Dosage & Administration	<p>By intra-muscular or subcutaneous injections every 12 hours, during 3 to 5 days. Slow intravenous route can be given for the first injection as an attack dose.</p> <p>Cows/Calves: 4 mg/kg = 2 ml /50 kg Pigs, goats, sheeps: 4 mg/kg = 2ml / 50 kg Horses: 3-4 mg/kg i.e. 12-15ml / 400 kg. If hypersensitivity to any components or if yeast disorders occur, treatment should be discontinued and appropriate therapy instituted.</p> <p>An appropriately graduated syringe must be used to allow accurate administration of the required volume. This is particularly important when injecting small dose volumes:</p> <p>Cats and dogs: 4mg/kg: 0.045 ml / 3 kg Poultry: 2mg/kg.</p>
Warnings	Use with caution in animals with impaired renal function. Not to be used during pregnancy. Do not use with other aminoglycocodes antibiotics such as Neomycin and Streptomycin. May cause digestive upset.
Withdrawal Period	<p>Meat and offal: 60 days Milk: 3 days</p>

